



Product Information

# parts availability list



**Kalrez®**

From DuPont Performance Elastomers

# Standard parts list

## AS-568A O-rings

### Availability

Many AS-568A O-rings in standard compounds may be available for immediate shipment from your local authorized Kalrez® distributor's inventory. In addition, DuPont Performance Elastomers maintains inventory of most sizes in various compounds. Orders for quantities, sizes, and compounds not in inventory will be placed on the factory. Please call your local authorized Kalrez® distributor for current inventory status and estimated shipment dates for your specific requirements.

AS-568A	Dimensions <sup>1</sup> (inches)		Nominal size (inches/ref. only)		Metric size (millimeters)	
	I.D.	CSD	I.D.	CSD	I.D.	CSD
001	.029	.040	1/32	1/32	0.74	1.02
002	.042	.050	3/64	3/64	1.07	1.27
003	.056	.060	1/16	1/16	1.42	1.52
004	.070	.070	5/64	1/16	1.78	1.78
005	.101	.070	3/32	1/16	2.57	1.78
006	.114	.070	1/8	1/16	2.90	1.78
007	.145	.070	5/32	1/16	3.68	1.78
008	.176	.070	3/16	1/16	4.47	1.78
009	.208	.070	7/32	1/16	5.28	1.78
010	.239	.070	1/4	1/16	6.07	1.78
011	.301	.070	5/16	1/16	7.65	1.78
012	.364	.070	3/8	1/16	9.25	1.78
013	.426	.070	7/16	1/16	10.82	1.78
014	.489	.070	1/2	1/16	12.42	1.78
015	.551	.070	9/16	1/16	14.00	1.78
016	.614	.070	5/8	1/16	15.60	1.78
017	.676	.070	11/16	1/16	17.17	1.78
018	.739	.070	3/4	1/16	18.77	1.78
019	.801	.070	13/16	1/16	20.35	1.78
020	.864	.070	7/8	1/16	21.95	1.78
021	.926	.070	15/16	1/16	23.52	1.78
022	.989	.070	1	1/16	25.12	1.78
023	1.051	.070	1 1/16	1/16	26.70	1.78
024	1.114	.070	1 1/8	1/16	28.30	1.78
025	1.176	.070	1 3/16	1/16	29.87	1.78
026	1.239	.070	1 1/4	1/16	31.47	1.78
027	1.301	.070	1 5/16	1/16	33.05	1.78
028	1.364	.070	1 3/8	1/16	34.65	1.78
029	1.489	.070	1 1/2	1/16	37.82	1.78
030	1.614	.070	1 5/8	1/16	41.00	1.78
031	1.739	.070	1 3/4	1/16	44.17	1.78
032	1.864	.070	1 7/8	1/16	47.35	1.78
033	1.989	.070	2	1/16	50.52	1.78
034	2.114	.070	2 1/8	1/16	53.70	1.78
035	2.239	.070	2 1/4	1/16	56.87	1.78
036	2.364	.070	2 3/8	1/16	60.05	1.78
037	2.489	.070	2 1/2	1/16	63.22	1.78
038	2.614	.070	2 5/8	1/16	66.40	1.78
039	2.739	.070	2 3/4	1/16	69.57	1.78
040	2.864	.070	2 7/8	1/16	72.75	1.78

AS-568A	Dimensions <sup>1</sup> (inches)		Nominal size (inches/ref. only)		Metric size (millimeters)	
	I.D.	CSD	I.D.	CSD	I.D.	CSD
041	2.989	.070	3	1/16	75.92	1.78
042	3.239	.070	3 1/4	1/16	82.27	1.78
043	3.489	.070	3 1/2	1/16	88.62	1.78
044	3.739	.070	3 3/4	1/16	94.97	1.78
045	3.989	.070	4	1/16	101.32	1.78
046	4.239	.070	4 1/4	1/16	107.67	1.78
047	4.489	.070	4 1/2	1/16	114.02	1.78
048	4.739	.070	4 3/4	1/16	120.37	1.78
049	4.989	.070	5	1/16	126.72	1.78
050	5.239	.070	5 1/4	1/16	133.07	1.78
102	.049	.103	1/16	3/32	1.24	2.62
103	.081	.103	3/32	3/32	2.06	2.62
104	.112	.103	1/8	3/32	2.84	2.62
105	.143	.103	5/32	3/32	3.63	2.62
106	.174	.103	3/16	3/32	4.42	2.62
107	.206	.103	7/32	3/32	5.23	2.62
108	.237	.103	1/4	3/32	6.02	2.62
109	.299	.103	5/16	3/32	7.59	2.62
110	.362	.103	3/8	3/32	9.19	2.62
111	.424	.103	7/16	3/32	10.77	2.62
112	.487	.103	1/2	3/32	12.37	2.62
113	.549	.103	9/16	3/32	13.94	2.62
114	.612	.103	5/8	3/32	15.54	2.62
115	.674	.103	11/16	3/32	17.12	2.62
116	.737	.103	3/4	3/32	18.72	2.62
117	.799	.103	13/16	3/32	20.30	2.62
118	.862	.103	7/8	3/32	21.89	2.62
119	.924	.103	15/16	3/32	23.47	2.62
120	.987	.103	1	3/32	25.07	2.62
121	1.049	.103	1 1/16	3/32	26.64	2.62
122	1.112	.103	1 1/8	3/32	28.24	2.62
123	1.174	.103	1 3/16	3/32	29.82	2.62
124	1.237	.103	1 1/4	3/32	31.42	2.62
125	1.299	.103	1 5/16	3/32	32.99	2.62
126	1.362	.103	1 3/8	3/32	34.59	2.62
127	1.424	.103	1 7/16	3/32	36.17	2.62
128	1.487	.103	1 1/2	3/32	37.77	2.62
129	1.549	.103	1 9/16	3/32	39.34	2.62
130	1.612	.103	1 5/8	3/32	40.94	2.62
131	1.674	.103	1 11/16	3/32	42.52	2.62
132	1.737	.103	1 3/4	3/32	44.12	2.62
133	1.799	.103	1 13/16	3/32	45.69	2.62
134	1.862	.103	1 7/8	3/32	47.29	2.62
135	1.925	.103	1 15/16	3/32	48.90	2.62
136	1.987	.103	2	3/32	50.47	2.62
137	2.050	.103	2 1/16	3/32	52.07	2.62
138	2.112	.103	2 1/8	3/32	53.64	2.62
139	2.175	.103	2 3/16	3/32	55.25	2.62
140	2.237	.103	2 1/4	3/32	56.82	2.62
141	2.300	.103	2 5/16	3/32	58.42	2.62

<sup>1</sup> The dimensions and tolerances of ring diameters and cross sections of Kalrez® O-rings conform to those listed in the Society of Automotive Engineers Aerospace Standard AS 568A of July 1, 1974, "Aerospace size standard for O-rings". Parting lines are wider than specified in AS-568-A. All other quality aspects are in accordance with MIL-STD-413C of Dec. 8, 1980, "Visual Inspection Guide for Rubber O-rings", except for white O-rings.

AS-568A	Dimensions <sup>1</sup> (inches)		Nominal size (inches/ref. only)		Metric size (millimeters)	
	I.D.	CSD	I.D.	CSD	I.D.	CSD
142	2.362	.103	2 <sup>3</sup> / <sub>8</sub>	<sup>3</sup> / <sub>32</sub>	59.99	2.62
143	2.425	.103	2 <sup>7</sup> / <sub>16</sub>	<sup>3</sup> / <sub>32</sub>	61.60	2.62
144	2.487	.103	2 <sup>1</sup> / <sub>2</sub>	<sup>3</sup> / <sub>32</sub>	63.17	2.62
145	2.550	.103	2 <sup>9</sup> / <sub>16</sub>	<sup>3</sup> / <sub>32</sub>	64.77	2.62
146	2.612	.103	2 <sup>5</sup> / <sub>8</sub>	<sup>3</sup> / <sub>32</sub>	66.34	2.62
147	2.675	.103	2 <sup>11</sup> / <sub>16</sub>	<sup>3</sup> / <sub>32</sub>	67.95	2.62
148	2.737	.103	2 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	69.52	2.62
149	2.800	.103	2 <sup>13</sup> / <sub>16</sub>	<sup>3</sup> / <sub>32</sub>	71.12	2.62
150	2.862	.103	2 <sup>7</sup> / <sub>8</sub>	<sup>3</sup> / <sub>32</sub>	72.69	2.62
151	2.987	.103	3	<sup>3</sup> / <sub>32</sub>	75.87	2.62
152	3.237	.103	3 <sup>1</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	82.22	2.62
153	3.487	.103	3 <sup>1</sup> / <sub>2</sub>	<sup>3</sup> / <sub>32</sub>	88.57	2.62
154	3.737	.103	3 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	94.92	2.62
155	3.987	.103	4	<sup>3</sup> / <sub>32</sub>	101.27	2.62
156	4.237	.103	4 <sup>1</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	107.62	2.62
157	4.487	.103	4 <sup>1</sup> / <sub>2</sub>	<sup>3</sup> / <sub>32</sub>	113.97	2.62
158	4.737	.103	4 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	120.32	2.62
159	4.987	.103	5	<sup>3</sup> / <sub>32</sub>	126.67	2.62
160	5.237	.103	5 <sup>1</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	133.02	2.62
161	5.487	.103	5 <sup>1</sup> / <sub>2</sub>	<sup>3</sup> / <sub>32</sub>	139.37	2.62
162	5.737	.103	5 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	145.72	2.62
163	5.987	.103	6	<sup>3</sup> / <sub>32</sub>	152.07	2.62
164	6.237	.103	6 <sup>1</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	158.42	2.62
165	6.487	.103	6 <sup>1</sup> / <sub>2</sub>	<sup>3</sup> / <sub>32</sub>	164.77	2.62
166	6.737	.103	6 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	171.12	2.62
167	6.987	.103	7	<sup>3</sup> / <sub>32</sub>	177.47	2.62
168	7.237	.103	7 <sup>1</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	183.82	2.62
169	7.487	.103	7 <sup>1</sup> / <sub>2</sub>	<sup>3</sup> / <sub>32</sub>	190.17	2.62
170	7.737	.103	7 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	196.52	2.62
171	7.987	.103	8	<sup>3</sup> / <sub>32</sub>	202.87	2.62
172	8.237	.103	8 <sup>1</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	209.22	2.62
173	8.487	.103	8 <sup>1</sup> / <sub>2</sub>	<sup>3</sup> / <sub>32</sub>	215.57	2.62
174	8.737	.103	8 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	221.92	2.62
175	8.987	.103	9	<sup>3</sup> / <sub>32</sub>	228.27	2.62
176	9.237	.103	9 <sup>1</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	234.62	2.62
177	9.487	.103	9 <sup>1</sup> / <sub>2</sub>	<sup>3</sup> / <sub>32</sub>	240.97	2.62
178	9.737	.103	9 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>32</sub>	247.32	2.62
179	9.987	.103	10	<sup>3</sup> / <sub>32</sub>	253.67	2.62
201	.171	.139	<sup>3</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	4.34	3.53
202	.234	.139	<sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	5.94	3.53
203	.296	.139	<sup>5</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	7.52	3.53
204	.359	.139	<sup>3</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	9.12	3.53
205	.421	.139	<sup>7</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	10.69	3.53
206	.484	.139	<sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	12.29	3.53
207	.546	.139	<sup>9</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	13.87	3.53
208	.609	.139	<sup>5</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	15.47	3.53
209	.671	.139	<sup>11</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	17.04	3.53
210	.734	.139	<sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	18.64	3.53
211	.796	.139	<sup>13</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	20.22	3.53
212	.859	.139	<sup>7</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	21.82	3.53
213	.921	.139	<sup>15</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	23.39	3.53
214	.984	.139	1	<sup>1</sup> / <sub>8</sub>	24.99	3.53
215	1.046	.139	1 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	26.57	3.53
216	1.109	.139	1 <sup>1</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	28.17	3.53
217	1.171	.139	1 <sup>3</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	29.74	3.53

AS-568A	Dimensions <sup>1</sup> (inches)		Nominal size (inches/ref. only)		Metric size (millimeters)	
	I.D.	CSD	I.D.	CSD	I.D.	CSD
218	1.234	.139	1 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	31.34	3.53
219	1.296	.139	1 <sup>5</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	32.92	3.53
220	1.359	.139	1 <sup>3</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	34.52	3.53
221	1.421	.139	1 <sup>7</sup> / <sub>16</sub>	<sup>1</sup> / <sub>8</sub>	36.09	3.53
222	1.484	.139	1 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	37.69	3.53
223	1.609	.139	1 <sup>5</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	40.87	3.53
224	1.734	.139	1 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	44.04	3.53
225	1.859	.139	1 <sup>7</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	47.22	3.53
226	1.984	.139	2	<sup>1</sup> / <sub>8</sub>	50.39	3.53
227	2.109	.139	2 <sup>1</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	53.57	3.53
228	2.234	.139	2 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	56.74	3.53
229	2.359	.139	2 <sup>3</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	59.92	3.53
230	2.484	.139	2 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	63.09	3.53
231	2.609	.139	2 <sup>5</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	66.27	3.53
232	2.734	.139	2 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	69.44	3.53
233	2.859	.139	2 <sup>7</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	72.62	3.53
234	2.984	.139	3	<sup>1</sup> / <sub>8</sub>	75.79	3.53
235	3.109	.139	3 <sup>1</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	78.97	3.53
236	3.234	.139	3 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	82.14	3.53
237	3.359	.139	3 <sup>3</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	85.32	3.53
238	3.484	.139	3 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	88.49	3.53
239	3.609	.139	3 <sup>5</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	91.67	3.53
240	3.734	.139	3 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	94.84	3.53
241	3.859	.139	3 <sup>7</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	98.02	3.53
242	3.984	.139	4	<sup>1</sup> / <sub>8</sub>	101.19	3.53
243	4.109	.139	4 <sup>1</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	104.37	3.53
244	4.234	.139	4 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	107.54	3.53
245	4.359	.139	4 <sup>3</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	110.72	3.53
246	4.484	.139	4 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	113.89	3.53
247	4.609	.139	4 <sup>5</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	117.07	3.53
248	4.734	.139	4 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	120.24	3.53
249	4.859	.139	4 <sup>7</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	123.42	3.53
250	4.984	.139	5	<sup>1</sup> / <sub>8</sub>	126.59	3.53
251	5.109	.139	5 <sup>1</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	129.77	3.53
252	5.234	.139	5 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	132.94	3.53
253	5.359	.139	5 <sup>3</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	136.12	3.53
254	5.484	.139	5 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	139.29	3.53
255	5.609	.139	5 <sup>5</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	142.47	3.53
256	5.734	.139	5 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	145.64	3.53
257	5.859	.139	5 <sup>7</sup> / <sub>8</sub>	<sup>1</sup> / <sub>8</sub>	148.82	3.53
258	5.984	.139	6	<sup>1</sup> / <sub>8</sub>	151.99	3.53
259	6.234	.139	6 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	158.34	3.53
260	6.484	.139	6 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	164.69	3.53
261	6.734	.139	6 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	171.04	3.53
262	6.984	.139	7	<sup>1</sup> / <sub>8</sub>	177.39	3.53
263	7.234	.139	7 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	183.74	3.53
264	7.484	.139	7 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	190.09	3.53
265	7.734	.139	7 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	196.44	3.53
266	7.984	.139	8	<sup>1</sup> / <sub>8</sub>	202.79	3.53
267	8.234	.139	8 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	209.14	3.53
268	8.484	.139	8 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	215.49	3.53
269	8.734	.139	8 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	221.84	3.53
270	8.984	.139	9	<sup>1</sup> / <sub>8</sub>	228.19	3.53
271	9.234	.139	9 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>8</sub>	234.54	3.53
272	9.484	.139	9 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>8</sub>	240.89	3.53

<sup>1</sup> See dimensions and tolerances footnote on page 1.

AS-568A	Dimensions <sup>1</sup> (inches)		Nominal size (inches/ref. only)		Metric size (millimeters)	
	I.D.	CSD	I.D.	CSD	I.D.	CSD
273	9.734	.139	9¾	⅛	247.24	3.53
274	9.984	.139	10	⅛	253.59	3.53
275	10.484	.139	10½	⅛	266.29	3.53
276	10.984	.139	11	⅛	278.99	3.53
277	11.484	.139	11½	⅛	291.69	3.53
278	11.984	.139	12	⅛	304.39	3.53
279	12.984	.139	13	⅛	329.79	3.53
280	13.984	.139	14	⅛	355.19	3.53
281	14.984	.139	15	⅛	380.59	3.53
282	15.955	.139	16	⅛	405.26	3.53
283	16.955	.139	17	⅛	430.66	3.53
284	17.955	.139	18	⅛	456.06	3.53
309	.412	.210	⅞	⅜	10.46	5.33
310	.475	.210	½	⅜	12.07	5.33
311	.537	.210	⅞	⅜	13.64	5.33
312	.600	.210	⅝	⅜	15.24	5.33
313	.662	.210	11/16	⅜	16.81	5.33
314	.725	.210	¾	⅜	18.42	5.33
315	.787	.210	13/16	⅜	19.99	5.33
316	.850	.210	⅞	⅜	21.59	5.33
317	.912	.210	15/16	⅜	23.16	5.33
318	.975	.210	1	⅜	24.77	5.33
319	1.037	.210	11/16	⅜	26.34	5.33
320	1.100	.210	1⅛	⅜	27.94	5.33
321	1.162	.210	13/16	⅜	29.51	5.33
322	1.225	.210	1¼	⅜	31.12	5.33
323	1.287	.210	15/16	⅜	32.69	5.33
324	1.350	.210	1⅜	⅜	34.29	5.33
325	1.475	.210	1½	⅜	37.47	5.33
326	1.600	.210	1⅝	⅜	40.64	5.33
327	1.725	.210	1¾	⅜	43.82	5.33
328	1.850	.210	1⅞	⅜	46.99	5.33
329	1.975	.210	2	⅜	50.17	5.33
330	2.100	.210	2⅛	⅜	53.34	5.33
331	2.225	.210	2¼	⅜	56.52	5.33
332	2.350	.210	2⅝	⅜	59.69	5.33
333	2.475	.210	2½	⅜	62.87	5.33
334	2.600	.210	2⅞	⅜	66.04	5.33
335	2.725	.210	2¾	⅜	69.22	5.33
336	2.850	.210	2⅞	⅜	72.39	5.33
337	2.975	.210	3	⅜	75.57	5.33
338	3.100	.210	3⅛	⅜	78.74	5.33
339	3.225	.210	3¼	⅜	81.92	5.33
340	3.350	.210	3⅝	⅜	85.09	5.33
341	3.475	.210	3½	⅜	88.27	5.33
342	3.600	.210	3⅞	⅜	91.44	5.33
343	3.725	.210	3¾	⅜	94.62	5.33
344	3.850	.210	3⅞	⅜	97.79	5.33
345	3.975	.210	4	⅜	100.97	5.33
346	4.100	.210	4⅛	⅜	104.14	5.33
347	4.225	.210	4¼	⅜	107.32	5.33
348	4.350	.210	4⅝	⅜	110.49	5.33
349	4.475	.210	4½	⅜	113.67	5.33
350	4.600	.210	4⅞	⅜	116.84	5.33
351	4.725	.210	4¾	⅜	120.02	5.33

AS-568A	Dimensions <sup>1</sup> (inches)		Nominal size (inches/ref. only)		Metric size (millimeters)	
	I.D.	CSD	I.D.	CSD	I.D.	CSD
352	4.850	.210	4⅞	⅜	123.19	5.33
353	4.975	.210	5	⅜	126.37	5.33
354	5.100	.210	5⅛	⅜	129.54	5.33
355	5.225	.210	5¼	⅜	132.72	5.33
356	5.350	.210	5⅜	⅜	135.89	5.33
357	5.475	.210	5½	⅜	139.07	5.33
358	5.600	.210	5⅝	⅜	142.24	5.33
359	5.725	.210	5¾	⅜	145.42	5.33
360	5.850	.210	5⅞	⅜	148.59	5.33
361	5.975	.210	6	⅜	151.77	5.33
362	6.225	.210	6¼	⅜	158.12	5.33
363	6.475	.210	6½	⅜	164.47	5.33
364	6.725	.210	6¾	⅜	170.82	5.33
365	6.975	.210	7	⅜	177.17	5.33
366	7.225	.210	7¼	⅜	183.52	5.33
367	7.475	.210	7½	⅜	189.87	5.33
368	7.725	.210	7¾	⅜	196.22	5.33
369	7.975	.210	8	⅜	202.57	5.33
370	8.225	.210	8¼	⅜	208.92	5.33
371	8.475	.210	8½	⅜	215.27	5.33
372	8.725	.210	8¾	⅜	221.62	5.33
373	8.975	.210	9	⅜	227.97	5.33
374	9.225	.210	9¼	⅜	234.32	5.33
375	9.475	.210	9½	⅜	240.67	5.33
376	9.725	.210	9¾	⅜	247.02	5.33
377	9.975	.210	10	⅜	253.37	5.33
378	10.475	.210	10½	⅜	266.07	5.33
379	10.975	.210	11	⅜	278.77	5.33
380	11.475	.210	11½	⅜	291.47	5.33
381	11.975	.210	12	⅜	304.17	5.33
382	12.975	.210	13	⅜	329.57	5.33
383	13.975	.210	14	⅜	354.97	5.33
384	14.975	.210	15	⅜	380.37	5.33
385	15.955	.210	16	⅜	405.26	5.33
386	16.955	.210	17	⅜	430.66	5.33
387	17.955	.210	18	⅜	456.06	5.33
388	18.955	.210	19	⅜	481.41	5.33
389	19.955	.210	20	⅜	506.81	5.33
390	20.955	.210	21	⅜	532.21	5.33
391	21.955	.210	22	⅜	557.61	5.33
392	22.940	.210	23	⅜	582.68	5.33
393	23.940	.210	24	⅜	608.08	5.33
394	24.940	.210	25	⅜	633.48	5.33
395	25.940	.210	26	⅜	658.88	5.33
425	4.475	.275	4½	¼	113.57	6.99
426	4.600	.275	4⅝	¼	116.84	6.99
427	4.725	.275	4¾	¼	120.02	6.99
428	4.850	.275	4⅞	¼	123.19	6.99
429	4.975	.275	5	¼	126.37	6.99
430	5.100	.275	5⅛	¼	129.54	6.99
431	5.225	.275	5¼	¼	132.72	6.99
432	5.350	.275	5⅜	¼	135.89	6.99
433	5.475	.275	5½	¼	139.07	6.99
434	5.600	.275	5⅝	¼	142.24	6.99
435	5.725	.275	5¾	¼	145.42	6.99

<sup>1</sup> See dimensions and tolerances footnote on page 1.

AS-568A	Dimensions <sup>1</sup> (inches)		Nominal size (inches/ref. only)		Metric size (millimeters)	
	I.D.	CSD	I.D.	CSD	I.D.	CSD
436	5.850	.275	5 <sup>7</sup> / <sub>8</sub>	<sup>1</sup> / <sub>4</sub>	148.59	6.99
437	5.975	.275	6	<sup>1</sup> / <sub>4</sub>	151.77	6.99
438	6.225	.275	6 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>4</sub>	158.12	6.99
439	6.475	.275	6 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	164.47	6.99
440	6.725	.275	6 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>4</sub>	170.82	6.99
441	6.975	.275	7	<sup>1</sup> / <sub>4</sub>	177.17	6.99
442	7.225	.275	7 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>4</sub>	183.52	6.99
443	7.475	.275	7 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	189.87	6.99
444	7.725	.275	7 <sup>3</sup> / <sub>4</sub>	<sup>1</sup> / <sub>4</sub>	196.22	6.99
445	7.975	.275	8	<sup>1</sup> / <sub>4</sub>	202.57	6.99
446	8.475	.275	8 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	215.27	6.99
447	8.975	.275	9	<sup>1</sup> / <sub>4</sub>	227.97	6.99
448	9.475	.275	9 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	240.67	6.99
449	9.975	.275	10	<sup>1</sup> / <sub>4</sub>	253.37	6.99
450	10.475	.275	10 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	266.07	6.99
451	10.975	.275	11	<sup>1</sup> / <sub>4</sub>	278.77	6.99
452	11.475	.275	11 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	291.47	6.99
453	11.975	.275	12	<sup>1</sup> / <sub>4</sub>	304.17	6.99
454	12.475	.275	12 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	316.87	6.99
455	12.975	.275	13	<sup>1</sup> / <sub>4</sub>	329.57	6.99
456	13.475	.275	13 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	342.27	6.99
457	13.975	.275	14	<sup>1</sup> / <sub>4</sub>	354.97	6.99
458	14.475	.275	14 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	367.67	6.99
459	14.975	.275	15	<sup>1</sup> / <sub>4</sub>	380.37	6.99
460	15.475	.275	15 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	393.07	6.99
461	15.955	.275	16	<sup>1</sup> / <sub>4</sub>	405.26	6.99
462	16.455	.275	16 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	417.96	6.99
463	16.955	.275	17	<sup>1</sup> / <sub>4</sub>	430.66	6.99
464	17.455	.275	17 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	443.36	6.99
465	17.955	.275	18	<sup>1</sup> / <sub>4</sub>	456.06	6.99
466	18.455	.275	18 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	468.76	6.99
467	18.955	.275	19	<sup>1</sup> / <sub>4</sub>	481.46	6.99
468	19.455	.275	19 <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	494.16	6.99
469	19.955	.275	20	<sup>1</sup> / <sub>4</sub>	506.86	6.99
470	20.955	.275	21	<sup>1</sup> / <sub>4</sub>	532.26	6.99
471	21.955	.275	22	<sup>1</sup> / <sub>4</sub>	557.66	6.99
472	22.940	.275	23	<sup>1</sup> / <sub>4</sub>	582.68	6.99
473	23.940	.275	24	<sup>1</sup> / <sub>4</sub>	608.08	6.99
474	24.940	.275	25	<sup>1</sup> / <sub>4</sub>	633.48	6.99
475	25.940	.275	26	<sup>1</sup> / <sub>4</sub>	658.88	6.99

## Straight thread tube fitting boss gaskets

AS-568A	Dimensions <sup>1</sup> (inches)		Tube O.D. (inches/ref. only)	Metric size (millimeters)	
	I.D.	CSD		I.D.	CSD
901	.185	.056	<sup>3</sup> / <sub>32</sub>	4.70	1.42
902	.239	.064	<sup>1</sup> / <sub>8</sub>	6.07	1.63
903	.301	.064	<sup>3</sup> / <sub>16</sub>	7.65	1.63
904	.351	.072	<sup>1</sup> / <sub>4</sub>	8.92	1.83
905	.414	.072	<sup>5</sup> / <sub>16</sub>	10.52	1.83
906	.468	.078	<sup>3</sup> / <sub>8</sub>	11.89	1.98
907	.530	.082	<sup>7</sup> / <sub>16</sub>	13.46	2.08
908	.644	.087	<sup>1</sup> / <sub>2</sub>	16.36	2.21
909	.706	.097	<sup>9</sup> / <sub>16</sub>	17.93	2.46
910	.755	.097	<sup>5</sup> / <sub>8</sub>	19.18	2.46
911	.863	.116	<sup>11</sup> / <sub>16</sub>	21.92	2.95
912	.924	.116	<sup>3</sup> / <sub>4</sub>	23.47	2.95
913	.986	.116	<sup>13</sup> / <sub>16</sub>	25.04	2.95
914	1.047	.116	<sup>7</sup> / <sub>8</sub>	26.59	2.95
916	1.171	.116	1	29.74	2.95
918	1.355	.116	1 <sup>1</sup> / <sub>8</sub>	34.42	2.95
920	1.475	.118	1 <sup>1</sup> / <sub>4</sub>	37.47	3.00
924	1.720	.118	1 <sup>1</sup> / <sub>2</sub>	43.69	3.00
928	2.090	.118	1 <sup>3</sup> / <sub>4</sub>	53.09	3.00
932	2.337	.118	2	59.36	3.00

<sup>1</sup> See dimensions and tolerances footnote on page 1.

# Standard parts list

## Metric O-rings

### Availability

Metric O-ring sizes are normally not inventoried. Orders for quantities, sizes and compounds not in inventory will be placed on the factory. Please call your local authorized Kalrez® distributor for current inventory status and estimated shipment dates for your specific requirements.

DuPont Performance Elastomers part number	Dimensions <sup>1</sup> (millimeters)			
	I.D.	±	CSD	±
K53010	1.15	0.10	1.00	0.08
K20009	9.00	0.20	1.50	0.08
K53011	2.20	0.13	1.60	0.08
K53013	2.75	0.13	1.60	0.08
K30010	3.10	0.16	1.60	0.08
K30011	4.10	0.16	1.60	0.08
K30012	5.10	0.16	1.60	0.08
K30013	6.10	0.16	1.60	0.08
K30014	7.10	0.20	1.60	0.08
K30015	8.10	0.20	1.60	0.08
K30016	9.10	0.20	1.60	0.08
K30017	10.10	0.25	1.60	0.08
K30018	11.10	0.25	1.60	0.08
K30019	12.10	0.25	1.60	0.08
K30020	13.10	0.25	1.60	0.08
K30021	14.10	0.25	1.60	0.08
K30022	15.10	0.25	1.60	0.08
K30023	16.10	0.25	1.60	0.08
K30024	17.10	0.25	1.60	0.08
K30025	18.10	0.40	1.60	0.08
K30026	19.10	0.40	1.60	0.08
K30027	20.10	0.40	1.60	0.08
K30028	21.10	0.40	1.60	0.08
K30029	22.10	0.40	1.60	0.08
K30030	25.10	0.40	1.60	0.08
K30031	27.10	0.40	1.60	0.08
K30032	29.10	0.40	1.60	0.08
K30033	32.10	0.40	1.60	0.08
K30034	35.10	0.40	1.60	0.08
K30035	37.10	0.40	1.60	0.08
K53014	6.35	0.16	1.78	0.08
K53017	9.52	0.20	1.78	0.08
K53012	2.40	0.13	1.90	0.08
K50010	2.60	0.16	1.90	0.08
K50011	3.40	0.16	1.90	0.08
K50012	4.20	0.16	1.90	0.08
K50013	4.90	0.16	1.90	0.08
K50014	5.70	0.16	1.90	0.08
K50015	6.40	0.20	1.90	0.08
K50016	7.20	0.20	1.90	0.08
K50017	8.00	0.20	1.90	0.08
K50018	8.90	0.20	1.90	0.08
K53018	16.00	0.25	1.90	0.08
K21004	4.00	0.16	2.00	0.08
K21006	6.00	0.20	2.00	0.08

DuPont Performance Elastomers part number	Dimensions <sup>1</sup> (millimeters)			
	I.D.	±	CSD	±
K21012	12.00	0.25	2.00	0.08
K21013	13.00	0.25	2.00	0.08
K21014	14.00	0.25	2.00	0.08
K21016	16.00	0.25	2.00	0.08
K21018	18.00	0.40	2.00	0.08
K21020	20.00	0.40	2.00	0.08
K21022	22.00	0.40	2.00	0.08
K21026	26.00	0.40	2.00	0.08
K21038	38.00	0.40	2.00	0.08
K53015	6.00	0.16	2.20	0.09
K53016	9.00	0.20	2.20	0.09
K31010	3.30	0.16	2.40	0.09
K3101	4.30	0.16	2.40	0.09
K31012	5.30	0.16	2.40	0.09
K31013	6.30	0.16	2.40	0.09
K31014	7.30	0.20	2.40	0.09
K31015	8.30	0.20	2.40	0.09
K31016	9.30	0.20	2.40	0.09
K41016	9.60	0.20	2.40	0.09
K31017	10.30	0.25	2.40	0.09
K31018	11.30	0.25	2.40	0.09
K31019	12.30	0.25	2.40	0.09
K31020	13.30	0.25	2.40	0.09
K31021	14.30	0.25	2.40	0.09
K31022	15.30	0.25	2.40	0.09
K31023	16.30	0.25	2.40	0.09
K31024	17.30	0.25	2.40	0.09
K31025	18.30	0.40	2.40	0.09
K31026	19.30	0.40	2.40	0.09
K31027	20.30	0.40	2.40	0.09
K31028	21.30	0.40	2.40	0.09
K31029	22.30	0.40	2.40	0.09
K31030	23.30	0.40	2.40	0.09
K53019	25.00	0.40	2.40	0.09
K31031	25.30	0.40	2.40	0.09
K31032	27.30	0.40	2.40	0.09
K31033	30.30	0.40	2.40	0.09
K31034	33.30	0.40	2.40	0.09
K22015	15.00	0.25	2.50	0.09
K53020	29.10	0.40	2.55	0.10
K51010	8.90	0.20	2.70	0.10
K51011	10.50	0.25	2.70	0.10
K51012	12.10	0.25	2.70	0.10
K51013	13.60	0.25	2.70	0.10
K51014	15.10	0.25	2.70	0.10
K51015	16.90	0.25	2.70	0.10
K51016	18.40	0.40	2.70	0.10
K53021	27.30	0.40	2.70	0.10
K23011	11.00	0.25	3.00	0.10
K23016	16.00	0.25	3.00	0.10

<sup>1</sup> The dimensions and tolerances of ring diameters and cross sections of Kalrez® O-rings on this list are listed. All other quality aspects are in accordance with MIL-STD-413C of Dec. 8, 1980, "Visual Inspection Guide for Rubber O-rings", except for white O-rings.

DuPont Performance Elastomers part number	Dimensions <sup>1</sup> (millimeters)			
	I.D.	±	CSD	±
K32010	17.20	0.40	3.00	0.10
K23018	18.00	0.40	3.00	0.10
K32011	18.20	0.40	3.00	0.10
K23019	19.00	0.40	3.00	0.10
K32012	19.20	0.40	3.00	0.10
K32013	20.20	0.40	3.00	0.10
K32014	21.20	0.40	3.00	0.10
K32015	22.20	0.40	3.00	0.10
K23023	23.00	0.40	3.00	0.10
K32016	24.20	0.40	3.00	0.10
K32017	25.20	0.40	3.00	0.10
K23026	26.00	0.40	3.00	0.10
K32018	26.20	0.40	3.00	0.10
K32019	28.20	0.40	3.00	0.10
K32020	29.20	0.40	3.00	0.10
K42017	29.50	0.40	3.00	0.10
K32021	30.20	0.40	3.00	0.10
K32022	31.20	0.40	3.00	0.10
K32023	32.20	0.40	3.00	0.10
K32024	34.20	0.40	3.00	0.10
K42020	34.50	0.40	3.00	0.10
K32025	35.20	0.40	3.00	0.10
K32026	36.20	0.40	3.00	0.10
K32027	37.20	0.40	3.00	0.10
K32028	39.20	0.40	3.00	0.10
K32029	40.20	0.40	3.00	0.10
K23042	42.00	0.40	3.00	0.10
K32030	42.20	0.40	3.00	0.10
K32031	44.20	0.40	3.00	0.10
K42027	44.50	0.40	3.00	0.10
K32032	45.20	0.40	3.00	0.10
K32033	46.20	0.40	3.00	0.10
K23049	49.00	0.40	3.00	0.10
K32034	49.50	0.40	3.00	0.10
K32035	50.20	0.63	3.00	0.10
K23054	54.00	0.63	3.00	0.10
K32036	54.50	0.63	3.00	0.10
K32037	55.20	0.63	3.00	0.10
K32038	56.20	0.63	3.00	0.10
K32039	57.20	0.63	3.00	0.10
K32040	59.50	0.63	3.00	0.10
K32041	60.50	0.63	3.00	0.10
K32042	62.20	0.63	3.00	0.10
K32043	64.50	0.63	3.00	0.10
K42031	64.50	0.63	3.00	0.10
K32044	69.50	0.63	3.00	0.10
K32045	74.50	0.63	3.00	0.10
K32046	79.50	0.63	3.00	0.10
K32047	84.50	0.80	3.00	0.10
K23088	88.00	0.80	3.00	0.10
K32048	89.50	0.80	3.00	0.10
K23094	94.00	0.80	3.00	0.10
K32049	94.50	0.80	3.00	0.10
K23098	98.00	0.80	3.00	0.10
K32050	99.50	0.80	3.00	0.10

DuPont Performance Elastomers part number	Dimensions <sup>1</sup> (millimeters)			
	I.D.	±	CSD	±
K32051	104.50	1.00	3.00	0.10
K32052	109.50	1.00	3.00	0.10
K32053	114.50	1.00	3.00	0.10
K32054	119.50	1.00	3.00	0.10
K32055	124.50	1.25	3.00	0.10
K32056	129.50	1.25	3.00	0.10
K32057	134.50	1.25	3.00	0.10
K32058	139.50	1.25	3.00	0.10
K32059	144.50	1.25	3.00	0.10
K23203	203.00	1.60	3.00	0.10
K23214	214.00	1.60	3.00	0.10
K24011	11.00	0.25	3.50	0.11
K24015	15.00	0.25	3.50	0.11
K24033	33.00	0.40	3.50	0.11
K24034	34.00	0.40	3.50	0.11
K24039	39.00	0.40	3.50	0.11
K24040	40.00	0.40	3.50	0.11
K24043	43.00	0.40	3.50	0.11
K24049	49.00	0.40	3.50	0.11
K24052	52.00	0.63	3.50	0.11
K24062	62.00	0.63	3.50	0.11
K24162	162.00	1.25	3.50	0.11
K24166	166.00	1.25	3.50	0.11
K24173	173.00	1.25	3.50	0.11
K52010	18.30	0.40	3.60	0.11
K52011	19.80	0.40	3.60	0.11
K52012	21.30	0.40	3.60	0.11
K52013	23.00	0.40	3.60	0.11
K52014	24.60	0.40	3.60	0.11
K52015	26.20	0.40	3.60	0.11
K52016	27.80	0.40	3.60	0.11
K52017	29.30	0.40	3.60	0.11
K52018	30.80	0.40	3.60	0.11
K52019	32.50	0.40	3.60	0.11
K52020	34.10	0.40	3.60	0.11
K52021	35.60	0.40	3.60	0.11
K52022	37.30	0.40	3.60	0.11
K53023	43.40	0.40	3.60	0.11
K25013	13.00	0.25	4.00	0.12
K25014	14.00	0.25	4.00	0.12
K25016	16.00	0.25	4.00	0.12
K25018	18.00	0.25	4.00	0.12
K25020	20.00	0.40	4.00	0.12
K25022	22.00	0.40	4.00	0.12
K25024	24.00	0.40	4.00	0.12
K25026	26.00	0.40	4.00	0.12
K25028	28.00	0.40	4.00	0.12
K25030	30.00	0.40	4.00	0.12
K25032	32.00	0.40	4.00	0.12
K25034	34.00	0.40	4.00	0.12
K25036	36.00	0.40	4.00	0.12
K25038	38.00	0.40	4.00	0.12
K25041	41.00	0.40	4.00	0.12
K25044	44.00	0.40	4.00	0.12
K25047	47.00	0.40	4.00	0.12

<sup>1</sup> See dimensions and tolerances footnote on page 5.

DuPont Performance Elastomers part number	Dimensions <sup>1</sup> (millimeters)			
	I.D.	±	CSD	±
K25048	48.00	0.40	4.00	0.12
K25050	50.00	0.63	4.00	0.12
K25052	52.00	0.63	4.00	0.12
K25053	53.00	0.63	4.00	0.12
K10158	53.80	0.63	4.00	0.12
K25057	57.00	0.63	4.00	0.12
K25058	58.00	0.63	4.00	0.12
K25061	61.00	0.63	4.00	0.12
K25064	64.00	0.63	4.00	0.12
K25067	67.00	0.63	4.00	0.12
K25070	70.00	0.63	4.00	0.12
K25073	73.00	0.63	4.00	0.12
K25076	76.00	0.63	4.00	0.12
K25079	79.00	0.63	4.00	0.12
K25082	82.00	0.80	4.00	0.12
K25084	84.00	0.80	4.00	0.12
K25085	85.00	0.80	4.00	0.12
K25088	88.00	0.80	4.00	0.12
K25091	91.00	0.80	4.00	0.12
K25094	94.00	0.80	4.00	0.12
K25097	97.00	0.80	4.00	0.12
K25100	100.00	1.00	4.00	0.12
K25104	104.00	1.00	4.00	0.12
K25108	108.00	1.00	4.00	0.12
K25112	112.00	1.00	4.00	0.12
K25116	116.00	1.00	4.00	0.12
K25120	120.00	1.25	4.00	0.12
K25124	124.00	1.25	4.00	0.12
K25128	128.00	1.25	4.00	0.12
K25132	132.00	1.25	4.00	0.12
K25136	136.00	1.25	4.00	0.12
K25140	140.00	1.25	4.00	0.12
K25146	146.00	1.25	4.00	0.12
K25152	152.00	1.25	4.00	0.12
K25160	160.00	1.25	4.00	0.12
K25166	166.00	1.25	4.00	0.12
K25170	170.00	1.25	4.00	0.12
K25174	174.00	1.25	4.00	0.12
K25182	182.00	1.60	4.00	0.12
K25190	190.00	1.60	4.00	0.12
K25198	198.00	1.60	4.00	0.12
K25207	207.00	1.60	4.00	0.12
K25217	217.00	1.60	4.00	0.12
K25225	225.00	1.60	4.00	0.12
K25235	235.00	1.60	4.00	0.12
K25245	245.00	1.60	4.00	0.12
K25255	255.00	1.60	4.00	0.12
K10233	34.70	0.40	4.50	0.12
K10222	37.70	0.40	4.50	0.12
K10173	40.00	0.40	4.50	0.12
K10174	42.00	0.40	4.50	0.12
K10175	44.00	0.40	4.50	0.12
K10176	46.00	0.40	4.50	0.12
K10177	48.00	0.40	4.50	0.12
K10178	50.00	0.63	4.50	0.12

DuPont Performance Elastomers part number	Dimensions <sup>1</sup> (millimeters)			
	I.D.	±	CSD	±
K10179	52.00	0.63	4.50	0.12
K10180	54.00	0.63	4.50	0.12
K10181	56.00	0.63	4.50	0.12
K10182	58.00	0.63	4.50	0.12
K10153	60.00	0.63	4.50	0.12
K10154	63.00	0.63	4.50	0.12
K10183	64.00	0.63	4.50	0.12
K10155	65.00	0.63	4.50	0.12
K10164	69.00	0.63	4.50	0.12
K10156	70.00	0.63	4.50	0.12
K10165	74.00	0.63	4.50	0.12
K10166	76.00	0.63	4.50	0.12
K10184	80.00	0.80	4.50	0.12
K10185	82.00	0.80	4.50	0.12
K10186	85.00	0.80	4.50	0.12
K10187	88.00	0.80	4.50	0.12
K10188	91.00	0.80	4.50	0.12
K10189	94.00	0.80	4.50	0.12
K10190	97.00	0.80	4.50	0.12
K10191	100.00	0.80	4.50	0.12
K26016	16.00	0.25	5.00	0.14
K26040	40.00	0.40	5.00	0.13
K26042	42.00	0.40	5.00	0.13
K26044	44.00	0.40	5.00	0.13
K26046	46.00	0.40	5.00	0.13
K26048	48.00	0.40	5.00	0.13
K26050	50.00	0.63	5.00	0.13
K26052	52.00	0.63	5.00	0.13
K26054	54.00	0.63	5.00	0.13
K26056	56.00	0.63	5.00	0.13
K2605 <sup>3</sup>	58.00	0.63	5.00	0.13
K26060	60.00	0.63	5.00	0.13
K26063	63.00	0.63	5.00	0.13
K26064	64.00	0.63	5.00	0.13
K26065	65.00	0.63	5.00	0.13
K10219	67.70	0.63	5.00	0.14
K26069	69.00	0.63	5.00	0.13
K26070	70.00	0.63	5.00	0.13
K26074	74.00	0.63	5.00	0.13
K26076	76.00	0.63	5.00	0.13
K26080	80.00	0.80	5.00	0.13
K26082	82.00	0.80	5.00	0.13
K26085	85.00	0.80	5.00	0.13
K26088	88.00	0.80	5.00	0.13
K26091	91.00	0.80	5.00	0.13
K26094	94.00	0.80	5.00	0.13
K26097	97.00	0.80	5.00	0.13
K26100	100.00	0.80	5.00	0.13
K53022	41.40	0.40	5.30	0.14
K53024	54.40	0.63	5.30	0.14
K10159	65.00	0.63	5.30	0.14
K10220	74.70	0.63	5.50	0.14
K10221	79.70	0.63	5.50	0.14
K10223	89.70	0.80	5.50	0.14
K10224	99.70	0.80	5.50	0.14

<sup>1</sup> See dimensions and tolerances footnote on page 5.



DuPont Performance Elastomers part number	Dimensions <sup>1</sup> (millimeters)			
	I.D.	±	CSD	±
K33010	35.20	0.40	5.70	0.14
K33011	36.20	0.40	5.70	0.14
K33012	37.20	0.40	5.70	0.14
K33013	39.20	0.40	5.70	0.14
K33014	41.20	0.40	5.70	0.14
K33015	44.20	0.40	5.70	0.14
K33016	45.20	0.40	5.70	0.14
K33017	47.20	0.40	5.70	0.14
K33018	49.20	0.40	5.70	0.14
K33019	51.20	0.63	5.70	0.14
K33020	52.20	0.63	5.70	0.14
K33021	54.20	0.63	5.70	0.14
K33022	57.20	0.63	5.70	0.14
K33023	59.20	0.63	5.70	0.14
K33024	61.20	0.63	5.70	0.14
K33025	62.20	0.63	5.70	0.14
K33026	64.20	0.63	5.70	0.14
K33027	67.20	0.63	5.70	0.14
K33028	69.20	0.63	5.70	0.14
K33029	71.20	0.63	5.70	0.14
K33030	72.20	0.63	5.70	0.14
K33031	74.20	0.63	5.70	0.14
K33032	77.20	0.63	5.70	0.14
K33033	79.20	0.63	5.70	0.14
K33034	81.20	0.80	5.70	0.14
K33035	82.20	0.80	5.70	0.14
K33036	84.20	0.80	5.70	0.14
K33037	87.20	0.80	5.70	0.14
K33038	89.20	0.80	5.70	0.14
K33039	92.20	0.80	5.70	0.14
K33040	94.20	0.80	5.70	0.14
K33041	97.20	0.80	5.70	0.14
K33042	99.20	0.80	5.70	0.14
K33043	104.20	1.00	5.70	0.14
K33044	109.20	1.00	5.70	0.14
K33045	114.20	1.00	5.70	0.14
K33046	119.20	1.00	5.70	0.14
K33047	124.20	1.25	5.70	0.14
K33048	129.20	1.25	5.70	0.14
K33049	134.20	1.25	5.70	0.14
K33050	139.20	1.25	5.70	0.14
K33051	144.20	1.25	5.70	0.14
K33052	149.20	1.25	5.70	0.14
K33053	154.20	1.25	5.70	0.14
K33054	159.20	1.25	5.70	0.14
K33055	164.20	1.25	5.70	0.14
K33056	169.20	1.25	5.70	0.14
K33057	174.20	1.25	5.70	0.14
K33058	179.20	1.25	5.70	0.14
K33059	184.20	1.60	5.70	0.14
K33060	189.20	1.60	5.70	0.14
K33061	194.20	1.60	5.70	0.14
K33062	199.20	1.60	5.70	0.14
K33063	204.20	1.60	5.70	0.14
K33064	209.20	1.60	5.70	0.14

DuPont Performance Elastomers part number	Dimensions <sup>1</sup> (millimeters)			
	I.D.	±	CSD	±
K33065	219.30	1.60	5.70	0.14
K33066	229.30	1.60	5.70	0.14
K33067	239.30	1.60	5.70	0.14
K33068	249.30	1.60	5.70	0.14
K33069	259.30	2.00	5.70	0.14
K33070	269.30	2.00	5.70	0.14
K33071	279.30	2.00	5.70	0.14
K33072	289.30	2.00	5.70	0.14
K33073	299.30	2.00	5.70	0.14
K33074	319.30	2.00	5.70	0.14
K33075	339.30	2.50	5.70	0.14
K33076	359.30	2.50	5.70	0.14
K33077	379.30	2.50	5.70	0.14
K33078	399.30	2.50	5.70	0.14
K33079	419.30	3.15	5.70	0.14
K33080	439.30	3.15	5.70	0.14
K33081	459.30	3.15	5.70	0.14
K33082	479.30	3.15	5.70	0.14
K33083	499.30	3.15	5.70	0.14
K34010	144.10	1.25	8.40	0.17
K34011	149.10	1.25	8.40	0.17
K34012	154.10	1.25	8.40	0.17
K34013	159.10	1.25	8.40	0.17
K34014	164.10	1.25	8.40	0.17
K34015	169.10	1.25	8.40	0.17
K34016	174.10	1.25	8.40	0.17
K34017	179.10	1.25	8.40	0.17
K34018	184.10	1.60	8.40	0.17
K34019	189.10	1.60	8.40	0.17
K34020	194.10	1.60	8.40	0.17
K34021	199.10	1.60	8.40	0.17
K34022	209.10	1.60	8.40	0.17
K34023	219.10	1.60	8.40	0.17
K34024	229.10	1.60	8.40	0.17
K34025	239.10	1.60	8.40	0.17
K34026	249.10	1.60	8.40	0.17

<sup>1</sup> See dimensions and tolerances footnote on page 5.

For further information please contact one of the offices below,  
or visit our website at [www.dupontelastomers.com](http://www.dupontelastomers.com)

**Global Headquarters – Wilmington, DE USA**

Tel. +1 800 853 5515  
+1 302 792 4000  
Fax +1 302 792 4450

**South & Central America Headquarters – Brazil**

Tel. +55 11 4166 8978  
Fax +55 11 4166 8989

**Japan Headquarters – Tokyo**

Tel. +81 3 5521 2990  
Fax +81 3 5521 2991

**European Headquarters – Geneva**

Tel. +41 22 717 4000  
Fax +41 22 717 4001

**Asia Pacific Headquarters – Singapore**

Tel. +65 6275 9383  
Fax +65 6275 9395

The information set forth herein is furnished free of charge and is based on technical data that DuPont Performance Elastomers believes to be reliable. It is intended for use by persons having technical skill, at their own discretion and risk. Handling precaution information is given with the understanding that those using it will satisfy themselves that their particular conditions of use present no health or safety hazards. Since conditions of product use and disposal are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. As with any material, evaluation of any compound under end-use conditions prior to specification is essential. Nothing herein is to be taken as a license to operate or a recommendation to infringe on patents. While the information presented here is accurate at the time of publication, specifications can change. Check [www.dupontelastomers.com](http://www.dupontelastomers.com) for the most up-to-date information.

**Caution:** Do not use in medical applications involving permanent implantation in the human body. For other medical applications, discuss with your DuPont Performance Elastomers customer service representative and read Medical Caution Statement H-69237.

DuPont™ is a trademark of DuPont and its affiliates.  
Kalrez® is a registered trademark of DuPont Performance Elastomers.

Copyright © 2005 DuPont Performance Elastomers.  
All rights reserved.

Printed in Switzerland  
KZS-D10125-00/C0605

